MUSCLE TOOLS

Special Tools | A/C Tools | Electronic Diagnostic | Shop Equipment

Pegisys™

Productivity Unleashed!

- AirBridge™ Wireless Connectivity
- At the Fender™ Diagnostics
- SpeedScroll™ Control
- Touch Screen
- High-Speed Scope
- Multi-Media

You make money At the fender™. And staying there to get relevant timely diagnostics keeps you productive. Meet Pegisys—the most advanced hand-held aftermarket scan tool available—it's designed to give you more freedom to work productively. Our exclusive AirBridge™ Wireless Technology means you can now be completely untethered from the vehicle (even when it's up on the lift), and have immediate Internet access* to real time web-enabled diagnostic assets Direct-Hit Technician™ on-line diagnostic information for Pegisys™.

Talk about coverage and features! Pegisys provides over 28 years of vehicle coverage (1980 – 2008) for 44 different vehicle makes from over 25 different manufacturers. It comes preloaded with expanded Scan (Pathfinder™) and Scope (Infotech™) diagnostics, Repair-Trac™ Tech Tips, Automated System Test™, includes large screen touch control, SpeedScroll™ Thumb pads, built-in 2-channel scope, audio & video capability and so much more.

Bottom line? Pegisys unleashes your potential to work smarter and faster at the fender—that's good for the shop and good for you. Pegisys is a diagnostic freedom productivity machine.

3825 Diagnostic System

Software

- USA Domestic / Asian Vehicle Subscription (12 Months)
- Diagnostic Information
  - Scan Diagnostic Information (Pathfinder)
  - Scope Diagnostic Information (InfoTech)
  - Repair-Trac

Included Accessories

- Pegisys Carrying Case
- OEM OBD I Cable Carrying Case
- AirBridge™ Wireless Kit
- 100 – 240 Volt Power Supply
- Scope Accessory Kit

$000.00
No. 3825

Vehicle Cable Set

- OBD II Cable
- USA Domestic OEM OBD I Cables
- USA Asian OEM OBD I Cables

USA European Starter Kit

Includes Mercedes 38-Pin Adapter, Mercedes 1 Pin AdapterVW 4-Pin Adapter, BMW Adapter and European security card.

$000.00 No. 3825-01

Heavy Duty Standard Starter Kit

Kit includes 9-pin Deutsch cable, 6-pin Deutsch cable, heavy-duty security card.

$000.00 No. 3825-02

Pegisys "Hot Swap" Kit

Kit includes main battery, back-up battery and battery charging dock.

$000.00 No. 3825-03

Pegisys J2534 Reprogramming

Includes installation CD, USB cable, and security card to authorize the J2534 functionality.

Important Note: Requires vehicle calibrations to be purchased from the OEM for J2534 reprogramming.

$000.00 No. 3825-08

OTC Direct-Hit Technician™ Power by Identifix®

NEW

What if there was a tool...

- That allowed you to access the knowledge gained from diagnosing over 3.5 million repair problems.
- That had quick fixes, timesaving diagnostics, and real world information.
- That provides over 280,000 symptoms, associated shortcut tests, and fixes that get to the fix faster than factory flow charts.
- That is updated with over 1,500 new problems, with tests and fixes, each week.
- That provides the largest source of Confirmed Fixes™ documented by 45 factory trained, ASE certified master technicians.
- That had the best automotive search engine that recognizes automotive jargon and matches it to the appropriate fixes.

There is, and it is exclusive to the Pegisys Diagnostic system - OTC Direct-Hit Technician™ Powered by Identifix, and you can use it right AT THE FENDER to solve today's toughest diagnostic challenges . . .

Direct-Hit Technician™ available assets on Pegisys:

✔ Technical Service Bulletins ✔ Repair-Trac™ ✔ Hotline Archives™ ✔ OBD II Code Details ✔ Wiring Diagrams ✔ Component Location Diagrams ✔ Component Specifications ✔ Identifix Articles ✔ National Highway Transportation and Safety Administration Recall Notices ✔ Keyword & Phrase Search process to speed access to the required information

Direct-Hit Technician™ Starter Kit

- The Security Card enables a 90-day subscription for non Identifix website subscribers. After the initial subscription period ends, the monthly subscription price is US $79.00 per month.
- The Security Card enables a 180-day subscription for current Identifix website subscribers. After the initial subscription period ends, the monthly subscription price is US $39.00 per month.

- During the initial subscription period, Identifix will contact the user (based on their Pegisys registration information) with an offer to continue the subscription.

$000.00
No. 3825-45

- Direct-Hit Technician is not a replacement for Direct-Hit, it is a complement. Direct-Hit Technician is a specialized diagnostic edition of Direct-Hit for Pegisys owners. Direct-Hit Technician can improve shop productivity by allowing a technician to access much of the information found on the Direct-Hit website At The Fender™ on the Pegisys.

Pegisys PC Diagnostic System™

PC-based J2534 Reprogramming & Scan Tool

"COMING SOON"

- Enhanced Scan Tool
- SAE J2534-1 & -2 Compliant (Pass-Through Vehicle Reprogramming)
- MVCI Compliant
- Wi-Fi and Bluetooth Capable
- SpeedScroll™ Touch Control
- LCD Display
- Field Upgradable
- Built In Rechargeable Battery
- USB, Ethernet, USB OTG
- SD I/O, Data Storage

Want a high-end Enhanced Diagnostic Tool, but...
You want to select your own PC performance hardware?
You want true open architecture freedom?
No problem, combine the power of Pegisys PC with your computer!

If a PC is what you need for your shop's diagnostic system, why be restricted in your choice? The Pegisys™ PC version (available Q1 of 2009) offers a wireless VCI with J2534 capabilities, and a software package that you can load on your shop's PC or laptop to run Pegisys™ as an application. Pegisys PC application is compatible with Windows XP or Vista.

Pegisys PC provides the same powerful enhanced vehicle coverage as Pegisys, including the new optional Direct-Hit Technician. The 3828DLX Domestic and Asian kit is sold with 6 months of free coverage and enhancement downloads after registration.

Want J2534 Reprogramming?

Pegisys PC Vehicle Communications Interface (VCI) hardware is J2534-1 and J2534-2 compliant. What does this mean? The Society of Automotive Engineers (SAE) J2534-1 standard applies for all emissions-related systems on 2004 and newer vehicles. The California Air Resources Board (ARB) and the U. S. Environmental Protection Agency (EPA) have both passed legislation mandating vehicle manufacturers comply with the standard. SAE J2534-2 standard applies to vehicles older than 2004 and non-emissions systems. For example, a device compliant to the J2534-2 is required if you want to reprogram all the supported GM vehicle controllers and those older than 2004.

IMPORTANT NOTE: Requires vehicle calibrations to be purchased from the OEM for J2534 reprogramming.

NEW

$0,000.00
No. 3828

3828 Pegisys PC Scan Kit

- J2534 Reprogramming
- AirBridge™ Wireless Kit
- Global OBD II Scan only – no enhanced Optional Domestic / Asian, European, and Heavy-Duty, vehicle applications

Important Note: Requires vehicle calibrations to be purchased from the OEM for J2534 reprogramming.

NEW

$0,000.00
No. 3828DLX

3828DLX Pegisys PC Scan Kit

- J2534 Reprogramming & Global OBD II
- AirBridge™ Wireless Kit
- Domestic / Asian enhanced subscription
- Diagnostic Information included (Pegisys)
- Domestic / Asian OEM Cable Kit

Important Note: Requires vehicle calibrations to be purchased from the OEM for J2534 reprogramming.

ELECTRONIC DIAGNOSTICS

NEW

Direct technician feedback continues to drive the evolution in Genisys diagnostics, introducing Genisys EVO™.

NEW On/Off Button

Genisys EVO

NEW "Fresh" Styling!

NEW More Aggressive Housing Design

NEW Video Out and USB!

NEW Four Graphs Per Screen!

Genisys EVO™ USA 2008 Deluxe Kit

Includes a NEW Genisys EVO™ System 3.0 featuring Code-Assist™ with OBD II Smart Cable, Automated System Test™, USA 2008 Domestic software with Pathfinder, Repair-Trac™, Fast fixes™, USA 2008 Asian software, InfoTech, manuals, adapters, and domestic OBD I vehicle cables (for GM, Ford, Chrysler, Jeep, Saturn), and carrying case.

Limited Time Offer: Tools & Techniques EMS (Engine Management System) Diagnostics DVD. A $500 Value!

No. 3861 *Genisys EVO™ USA 2008 deluxe kit.* **$0,000.00**

(USA Asian OBD I cables not included; see Kit No. 3421-94.)
(USA ABS/Air Bag Software, cables not included; see Kit No. 3421-110.)

Genisys EVO™ 2008 Starter/ Exchange Kit with System 3.0

SYSTEM 3.0 INCLUDED

FREE ABS Starter kit and T&T DVD with trade-in a $1200 value!

How about a NEW Genisys EVO™ System 3.0 **featuring Code-Assist™** with all the latest productivity improvements and new deluxe carrying case? A new OBD II Smart Cable with System 3.0, USA 2008 Domestic with Pathfinder, USA 2008 Asian with Pathfinder and InfoTech Driveability and Component Test Diagnostic Software are authorized and ready to work. Already own a Genisys™ 5-Gas kit? No problem a new smart card is included.

No. 3863 *Genisys EVO™ starter / exchange kit with System 3.0.* **$0,000.00**

IMPORTANT NOTE: Own an out of warranty or broken Genisys™, Snap-on MT2500™ or similar competitive scan tool? Return your broken or out of date scan tool with the enclosed coupon to receive **FREE 2008 ABS / Airbag Starter Kit with cables and Tools & Techniques EMS Diagnostics DVD.** Any competitive scan tool qualifies! No code readers accepted. (Allow 6 to 8 weeks for delivery.)

3421-110

3305-72

3615-01

Genisys EVO™ USA 2008 Deluxe Kit with ABS/Air Bag and Cables

Includes a NEW Genisys EVO™ System 3.0 featuring Code-Assist™ with OBD II Smart Cable, Automated System Test™, USA 2008 Domestic software with Pathfinder, Repair-Trac™, Fast fixes™, USA 2008 Asian software, USA 2008 ABS/Air Bag software and vehicle-specific cables, InfoTech 2006 software, manuals, adapters, domestic OBD I vehicle cables (for GM, Ford, Chrysler, Jeep, Saturn), Smart Cards, and carrying case.

Limited Time Offer: Tools & Techniques EMS (Engine Management System) Diagnostics DVD. A $500 Value!

No. 3862 *Genisys™ USA 2008 Deluxe Kit with ABS/airbag-specific cables.* **$0,000.00**

(USA Asian OBD I cables not included; see Kit No. 3421-94.)

Genisys EVO™ USA 2008 Deluxe with Heavy-Duty Standard Kit

Includes a NEW Genisys EVO™ System 3.0 featuring Code-Assist™ with OBD II Smart Cable, Automated System Test™, Heavy-Duty Standard software, USA 2008 Domestic with Pathfinder, Repair-Trac™, Fast fixes™, USA 2008 Asian, InfoTech, manuals, adapters, and domestic OBD I vehicle cables (for GM, Ford, Chrysler, Jeep, Saturn), and carrying case.

Limited Time Offer: Tools & Techniques EMS (Engine Management System) Diagnostics DVD. A $500 Value!

No. 3861HD *Genisys EVO™ USA 2008 Deluxe Heavy-Duty Standard deluxe kit.* **$0,000.00**

(USA Asian OBD I cables not included; see Kit No. 3421-94.)
(USA ABS/Air Bag cables not included; see Kit No. 3421-110.)

Genisys EVO™ 2008 Domestic Scan and Scope with InfoTech Kit

Includes a NEW Genisys EVO™ System 3.0 featuring Code-Assist™ with OBD II Smart Cable, Automated System Test™, USA 2008 Domestic software with Pathfinder, Repair-Trac™, Fast fixes™, USA 2008 Asian software, InfoTech software, USA 2008 ABS/Air Bag software, manuals, adapters, domestic OBD I vehicle cables (for GM, Ford, Chrysler, Jeep, Saturn), 4-channel lab scope module with 4 DMM leads, ground lead, kV conventional ignition lead, GM HEI ignition adapter, ignition sync lead, manuals, Smart Cards, and carrying case.

Limited Time Offer: Tools & Techniques EMS Diagnostics DVD. A $500 Value!

No. 3864 *Genisys EVO™ USA 2008 Domestic Scan and Scope with InfoTech Kit.* **$0,000.00**

(USA Asian OBD I cables not included; see Kit No. 3421-94.)
(USA ABS/Air Bag cables not included; see Kit No. 3421-54.)

Genisys EVO™

Software Sales Extravaganza!

Update your Genisys with the Powerful System 3.0 Starter Kit OR System 3.0 Memory Kit AND one or more of the following kits to receive a $100 Cash Card Rebate

The new system will not only reward you with faster booting, quick OBD II code reading, and icon-based interface, but it will also reward you with a $100 rebate.

Purchase

$000.00 **No. 3421-113**

No. 3421-113 – Genisys System 3.0 Starter Kit (For Genisys owners that do not have System 2.0).

or

No. 3421-114 – Genisys System 3.0 Memory Kit with 1 gigabyte memory (For Genisys owners with System 2.0).

$000.00
No. 3421-114

and one or more of the following kits.

No. 3421-104 – USA 2008 Domestic Update Kit . . $000.00
No. 3421-105 – USA 2008 Asian Update Kit $000.00
No. 3421-109 – USA 2008 ABS/Airbag S/W Kit . . $000.00
No. 3421-110 – USA 2008 ABS/Airbag Starter Kit . $000.00
No. 3421-83 – InfoTech 2006 Update Kit $000.00
No. 3421-73 – USA 2005 European Update Kit. . . $000.00
No. 3421-74 – USA 2005 European Starter Kit . . . $000.00
No. 3688 Genisys Scope with InfoTech 2006. . . $0,000.00

***Cables and adapters not included, sold separately.**

Rebate coupon shipped with System 3.0 Memory Kit 3421-113 and 3421-114. Mail coupon with invoices and proof of purchase.

USA 2008 Domestic Software Update Kit

NEW vehicle coverage for GM, Ford, Chrysler, Jeep, and Saturn 2008 models including improved system coverage for earlier years. This OBD II Smart Cable compatible software also includes the NEW Code-Assist™ by Identifix™, Pathfinder troubleshooting with Repair-Trac™, Fast fixes™, Automated System Test™, Quick DTC Scan, Smart Card, manual, ConnecTech Reader, and the NGIS Windows-based program CD for downloading software updates.

$000.00
No. 3421-104

IMPORTANT NOTE: System 3.0 or newer 1 GB card required to install; see No. 3421-113 or 3421-114.

USA 2008 Asian Software Update Kit

NEW vehicle coverage for Toyota, Honda, Nissan, Mazda, Mitsubishi and more 2008 models including improved system coverage for earlier years. This OBD II Smart Cable compatible update kit also includes the NEW Code-Assist experience-based data that links to Asian 2008 when Domestic 2008 is installed. Asian 2008 includes the new Automated System Test™ and Quick DTC Scan feature. Kit includes the NGIS software CD, manual, and Smart Card.

$000.00
No. 3421-105

IMPORTANT NOTE: System 3.0 or newer 1 GB card required to install; see No. 3421-113 or 3421-114.

USA 2008 ABS/Air Bag Software Starter and Update Kit



Expanded coverage for domestic, USA European, and USA Asian through 2008 model year. This is the kit you need if you are a Genisys™ owner wanting to add data stream, bi-directional testing, fault codes, Pathfinder troubleshooting, and ABS-specific cables (starter kit only).

No. 3421-109 – USA 2008 ABS/Air Bag Software Update Kit.

$000.00
No. 3421-109

No. 3421-110 – USA 2008 ABS/Air Bag Starter Kit with cables.

IMPORTANT NOTE: Requires System 3.0. or newer and Smart Cable 3421-88

$000.00 **No. 3421-110**

ELECTRONIC DIAGNOSTICS

Genisys Super Bundle Productivity Kit

This powerful kit maximizes technician productivity with the four most popular Genisys™ options at a reduced price — USA 2008 Domestic, USA 2008 Asian, USA 2008 ABS/Airbag and System 3.0 software with memory card for fast installation. Also includes the NEW Code-Assist™ experienced-based Confirmed Fixes™ from Identifix.

NEW

$000.00 No. 3421-106

InfoTech 2006 Driveability and Component Test Diagnostic Software

InfoTech 2006 software is available for all Genisys scan tools! No Genisys Scope is required.

$000.00 No. 3421-83

Genisys without Scope InfoTech 2006 is available from the Repair Information menu and operates as a stand-alone electronic database. InfoTech data is also integrated into the new Automated System Test analysis. Have a scope already? No problem, now add repair info!

Genisys with Scope InfoTech 2006 not only provides the powerful repair information, but also sets up the Genisys scope for you!

The kit includes InfoTech 2006 Smart Card, manual, and the NGIS Windows-based program CD for downloading software updates.

IMPORTANT NOTE: System 3.0 or newer 1 GB card required to install; see No. 3421-113 or 3421-114.

USA 2005 European Starter Kit

Get European coverage in a single kit! This starter kit allows you to service select European manufacturers: Audi, BMW, Mercedes-Benz, Volvo, Volkswagen, and more. Kit includes software CD, Smart Card, Mercedes 38-pin cable, Mercedes 1-pin cable, Mercedes 38-pin SSI, BMW cable,and Volkswagen/Audi cable.

$000.00 No. 3421-74

IMPORTANT NOTE: Requires System 3.0. or newer and Smart Cable 3421-88 is required for BMW application coverage.

Genisys™ Heavy-Duty Starter Kit

Genisys™ Heavy-Duty Standard software includes J1587/1708 and J1939 CAN communications.

Kit includes 9-pin Deutsch cable, 6-pin Deutsch cable, heavy-duty System Smart Insert, Smart Card, and PC software CD.

IMPORTANT NOTE: System 3.0 or newer 1 GB card required to install; see No. 3421-113 or 3421-114.

$000.00 No. 3421-79

Genisys™ DVD Training

Customized training – This full length video program is based solely on the Genisys™.

Enhanced training – Takes you beyond the basics of the Genisys™.

No. 3615

Train at your own pace – The TEAM AVI training format using chaptered DVDs allows you to start and stop.

Step-by-step instructions – On using the most powerful diagnostic functions.

How to use – Graphing, recording, and record playback for those "intermittent" problems.

In-depth training – Goes beyond button pushing to showcase such important features as Pathfinder troubleshooting, graphing, and more.

Ease of use – Questions on the Genisys™ are covered in the training and can be reviewed quickly, even in the shop.

No. 3615 *Genisys™ DVD Training. Contains two full-length DVDs and an illustrated manual for shop use.* **$000.00**

No. 3615SP *Genisys™ DVD Training – Spanish. Contains a full-length DVDs and an illustrated manual for shop use.* **$000.00**

OTC ScanPro™ Elite OBD I and OBD II Scan Tool

The OTC 3499N ScanPro™ Elite has a full color screen and an ergonomically designed housing. This full function OBD I and OBD II scan tool provides enhanced powertrain coverage for GM, Ford, Chrysler, and Toyota.

All compliant manufacturers are covered with global OBD II including CAN-based vehicles.

NEW

$000.00 No. 3499N

NEW Features:

- Retains data from the last five vehicles scanned
- Color QVGA graphic backlit LCD
- SD memory card expansion slot
- On tool acronym library
- Dynamic language switching
  – English and Spanish
- Toyota OBD I functionality
- USB port in tool - cable Included
- Print data via USB PC interface
- Graphing data – all vehicles
- Programmable hot key for special user features

Kit Includes everything you need to get started:

- Color coded cables
- Soft carry case
- Scanning Suite CD
  – Browse manuals
  – Update tool
  – DTC look-up
  – Print companion

Special User Features:

- User programmable hot key for specific operator requirements.
- On board power - self powered with 6 AAA batteries (included) to allow data review at the vehicle or at the work bench.
- Power management system assures uninterrupted operation even if vehicle voltage drops.
- Heavy duty design stands up to the rigors of shop use.

2008 Tools & Techniques EMS Diagnostic DVD

Engine Management System Diagnostics

NEW

- Includes OPEN licence
  – disc NEVER stops working.
- Designed for shops and technicians engaged in advanced diagnosis and fault finding.
- PIN voltage database features data, values, connector images and connector locations.
- EMS wiring diagrams
  – including power supply and ground.
- Oscilloscope wave form patterns.
- Over 15-years of coverage.

$000.00 No. 3615-01

Nemisys® Cover and DVD Training

3774-21 Protective Cover

- Increased drop protection.
- Increased temperature protection. Helps protect the tool when used around a hot engine.
- Easily wipe away dirt and grime The resilient rubber compound is specifically designed for shop use.

$000.00 No. 3774-21

3759 DVD Training

- Contains over one hour of DVD training.
- Includes illustrated manual for shop use.
- Utilizes the latest software to get the maximum function from your Nemisys.

$000.00 No. 3759

OBD II Smart Cable

The new OBD II Smart Cable is essentially "plug and play."

IMPORTANT NOTE: Operation requires Domestic/ Asian 2006 or newer software; see No. 3421-104.

"Requires 2006 Software"

$000.00 No. 3421-88

OTC Nemisys® Tool & Techniques EMS DVD Promotion

NEW

- NEW Nemisys now includes Body and Chassis systems along with Engine, Transmission, ABS, and Airbag
- NEW Repair Information – Typical Sensor / Data Specs
- NEW USA Domestic OBD I & OBD II coverage (1984 thru 2008)
- NEW USA Asian OBD I & OBD II optional coverage (1983 thru 2008)
- NEW Enhanced OBD II Mode 6 screens
- Domestic and Asian Enhanced Data & DTCs
- Global OBD II Asian & European coverage (1996 thru 2008)
- Data Graphing
- CAN Enabled—no adapters to buy
- Record / Playback
- Vehicle Protocols: CAN, J1850 VPM, J1850 PWM, ISO 9141, Keyword 2000, UART, SCP, SCI, CCD, and more.

$000.00 No. 3816

Free Coupon for Tools & Techniques EMS Diagnostic DVD a $500 value!

2008 Domestic Software Update Kit

New domestic coverage back to 1984 for engine, body, and chassis systems. Includes Data/ Sensor Info repair information.
3774-22 – Software update includes card reader and USB cable **$000.00**

2008 Asian Software Update Kit

New Asian coverage back to 1983 for engine, body, and chassis systems. Includes Data/ Sensor Info repair information.
3774-23 – Software update includes card reader and USB cable **$000.00**

2008 Domestic & Asian Software Kit

New Domestic & Asian coverage back to 1983 for engine, body, and chassis systems. Includes Data/ Sensor Info repair information.
3774-24 – Software update includes card reader and USB cable **$000.00**

Free Coupon for Toyota OBD I adapters 3774-17 & 3774-18 with each 3774-24 Domestic/ Asian update a $115 value!



ABS Reader II Vivid Color

NEW

Introducing the new ABS Reader II body shop and undercar scan tool. Diagnose and turn off those Engine, ABS, Airbag, and TPMS warning lights for most USA Domestic, Asian and some European vehicles. The 3416-03 ABS Reader II kit also includes OBD II Smart Cable which eliminates the SSI's for faster operation and user satisfaction.

The new ABS Reader II has been refreshed to include a QVGA Color Display and USB.

Included is ABS / Airbag coverage for 2008 and new for this year TPMS coverage! The new TPMS coverage provides DTC, DataStream and sensor registration functionality. In addition a TPMS Quick Reference Manual is "On-Tool" providing fast access to TPMS information at the car!

The Quick Reference manual in the ABS Reader II Scan software covers both Direct and Indirect systems and contains the following topics;

- TPMS Description
- Reset Requirements
- Torque Specifications
- Reset Procedures

The Quick Reference information is specifically for placing the vehicle in Learn Mode and completing the Reset Procedure.

Available February

$0,000.00 No. 3416-03

ABS Reader II Vivid Color Kit

Kit includes: ABS Reader II Vivid tool; OBD II Smart Cable; cables and adapters necessary to support Domestic and Asian coverage; ScanMate ABS PC software CD; USB cable, and carrying case. European adapters sold separately.

ABS Reader II Update Kit

For current owners of the ABS Reader II Scan Tool. Kit includes: OBD II Smart Cable; Memory Card preloaded with new 2008 software, ABS / Airbag 2008 Security Card; and ScanMate ABS PC software CD. New adapters sold separately.

$000.00 No. 3416-04

ELECTRONIC DIAGNOSTICS

3833QR2009

now covers 2009 model years

PROMOTION

Base Kits Include Coupon for **FREE 3831** Tire Pressure Reset Tool for Nissan.

Coupon promotion valid from January 1, 2009–December 31, 2009.

2009 Tire Pressure Monitor Base Kits

Includes a TPM tool with latest software subscription, activation magnet, quick start guide, reset procedure manuals, update cable, CD training video, three C batteries, backup software CD, and a blow molded case. Base kits are available with three different reset manual formats;

No. 3833QR2009 *Tire pressure monitor base kit, with printed Quick Reference manuals.* . . . **$000.00**

No. 3833CD2009 *Tire pressure monitor base kit, with CD manual.* **$000.00**

now covers 2009 model years

Tire Pressure Monitor 2009 Software Update Kit

Includes 2009 software subscription CD, 2009 reset manual supplement.

$000.00
No. 3833-40

TPM Electronic Torque Wrench

Current TPM Sensor nut torque requirements range from 12–106 in.–lb. Conventional torque wrenches do not cover this range in a single wrench. The new TPM Electronic Torque Wrench covers this range and provides key features specifically designed for TPM sensor applications, while also doubling as a standard in.–lb. torque wrench.

- 12–120 in.–lb. ± 2% accuracy.
- Torque set quickly with unique slide bar on the scale.
- Indexing head allows for use straight (screwdriver position) to spin nut down quickly.
- Torque limit LED flashes with audible beep.



$000.00
No. 3833-25

3833-22 *1/4" Drive 11 mm Deep Chrome Socket* **$00.00**

3833-23 *1/4" Drive 12 mm Deep Chrome Socket* **$00.00**

TPMS

3833TQR2009

now covers 2009 model years

PROMOTION

Master Kits Include **FREE 3833-25** Electronic Torque Wrench with **3833-22** (11mm Socket) and **3833-23** (12mm Socket).

Promotion valid from January 1, 2009–December 31, 2009.

2009 Tire Pressure Monitor Master Kits

Includes a TPM tool with latest software subscription, activation magnet, quick start guide, reset procedure manuals, update cable, CD training video, 6 nM Hi rechargeable batteries and recharging station, backup software CD, digital tire pressure gauge, 4-way valve tool, valve core torque driver, laminated application flip chart, service procedure flowchart poster, consumer poster, and a blow molded case. Master kits are available with 3 different reset manual formats.

No. 3833TQR2009 *Tire pressure monitor master kit, with printed Quick Reference manuals.* . . . **$000.00**

No. 3833TCD2009 *Tire pressure monitor master kit, with CD manual.* **$000.00**

Tire Pressure Reset Tool for Nissan

This tool is designed to extinguish the Tire Pressure Warning Light on 2003 and newer Nissan vehicles with TPM Reset Connector. The connector end of the cable mates to the vehicle connector found behind the DLC connector under the dash. The alligator clip is clipped onto the metal bracket that holds the DLC connector. Once connected and the ignition is turned on, the tool trigger is pressed 5 times within 10 seconds causing the warning light to start flashing. With the tool disconnected, the vehicle can be started and driven over 30 mph until the light stops flashing, which completes the procedure.

Graphic step-by-step instruction sheet and application chart included in the kit.

No. 3831 *Tire pressure reset tool for Nissan.* **$000.00**

3870P Scan and Test Pack Promo

Available Vehicle Coverage:

- Cars, trucks and mini-vans.

Available Scan Coverage:

- Special Tests (bidirectional testing)
  - TPMS sensor initialization / activation (with TIPS tool only)
  - TPMS sensor I.D. programming
- Read / Clear Diagnostic Trouble Codes (DTC)
  - TPMS sensor failures and incorrect tire location can set DTC's.
- Displays TPMS Datastream values
  - Scan tool display of vehicle computer TPMS sensor tire pressure information.
  - I.e. Left Front Tire 32 psi.
- Repair Information on tool
  - TPMS test and reset procedures

The TPMS Quick Reference Manual is "On-Tool" providing fast access to TPMS information at the car!

The Quick Reference manual in the TPMS Scan software covers both Direct and Indirect systems and contains the following topics;

- TPMS Description
- Reset Requirements
- Torque Specifications
- Reset Procedures

The Quick Reference information is specifically for placing the vehicle in Learn Mode and completing the Reset Procedure.

No. 3870P – TPMS scan, Smart cable, soft case and TIPS003A Tool. **$000.00**

T.I.P.S.© is a UNIVERSAL triggering tool which eliminates the need to purchase multiple tools from other suppliers in order to service various makes and models. In addition to triggering TPM sensors after a tire change or rotation, the T.I.P.S.© Pro provides audible and visual confirmation of sensor transmission and communication with the vehicle.

No. 3870 – TPMS scan, Smart cable, soft case. **$000.00**

OTC TIPS TPM Reset Tool

The OTC TIPS Tire Pressure Monitor (TPM) Tool Kit is designed to be a complete universal kit covering vehicles with Tire Pressure Monitoring Systems (TPMS).

This reset tool software has a "hunt" feature that will automatically search for the correct activation mode for wheel sensors. The proper activation mode can also be selected on the tool manually.

The manual contains the critical reset procedures along with all the system information including torque specifications and reset procedures.

The reset tool and manual are updateable to keep up with changing vehicle requirements.

$000.00 **No. OTC003D**

Heavy-Duty Code Reader

Fast "Toolbox Tool" to read and clear heavy-duty DTC's, heavy-duty shops that need a second tool in the shop and for their mobile repair trucks, or aftermarket general repair shops that are looking for a cost effective solution for Heavy-Duty Standard coverage.

Features:

- Class 4 – 8 truck coverage.
- HD J1587 / J1708 and J1939 CAN, Engine, Transmission/ABS coverage and more for diagnostic trouble codes!
- Read and clear diagnostic trouble codes.
- Provides on screen DTC definitions for heavy-duty standard codes.
- Battery powered for off vehicle use.
- Internet update capable.

$000.00
No. 3418

Applications:

Tow trucks, recreational vehicles, cement trucks, dump trucks, garbage trucks, buses, step vans, municipal vehicles, refrigerated trucks, and conventional trucks.

Heavy-Duty Standard compliant construction, marine, agriculture, & industrial diesel power plant configurations!

HD Reader 3418 Kit Includes: 3-year warranty, HD Reader tool, 9-Pin deutsch Cable, 6-Pin deutsch cable, operations manual, soft nylon carrying case.

OTC HD Scan Tool

- Brilliant Color Display
- Class 4 – Class 8 truck coverage featuring "Automatic Protocol Search".
- HD J1587 / J1708 and J1939 CAN, Engine, Transmission/ABS coverage and more!
- Live vehicle data such as: Engine speed, Engine ECU temperature, Percent acceleration pedal position, Engine intercooler temperature, Engine coolant temperature, Battery volts, Alternator volts, Ambient air temperature, Air inlet temperature
- Read and clear diagnostic trouble codes.
- Global OBD II – All 9 Modes.
- English, Spanish, and French support
- Battery powered for off vehicle use.
- Trilingual Quick Start Guide included to help technicians get started fixing cars FAST.
- CD-based manuals in Spanish, French, and English.
- Customize data views in line graph, LED, or digital format with the push of a button.
- Three record modes – marker frame, freeze data history, and code triggered record.

$000.00
No. 3417

No. 3417 – HD Scan Kit Includes: HD Scan tool, 9 Pin Deutsch Cable, 6 Pin Deutsch Cable, OBD II Cable, USB Cable, ScanMate software Operations Manual, Carrying Case and 3-Year Warranty.

OBD I & OBD II Code Scanner®

Retrieves GM, Ford and Chrysler OBD I and all generic OBD II diagnostic trouble codes for all 1996 to 2006 foreign and domestic OBD II compliant vehicles as well as display selected enhanced codes for GM, Ford, Chrysler and Toyota and certain manufacturer's specific codes for Asian and European vehicles.

$000.00 **No. 3498**

OTC AutoCode™

OTC AutoCodeTM can easily retrieve diagnostic trouble codes (DTCs) from your vehicle's computer, leading you to the problem area. Use on all OBD II and CAN compliant cars and light trucks sold in the U.S. from 1996 to current.

- Compatible with all 1996 and newer vehicles (including the new CAN protocol)
- Provides trouble code data telling you why the "Check Engine Light" is on
- Erases trouble code turning off the "Check Engine Light"
- View freeze frame data
- Code look up through internal library of definitions
- Provides pending code data notifying you of potential problems
- Helps you determine if you will pass emission test by reading I/M monitors

$000.00
No. 3494

ELECTRONIC DIAGNOSTICS

Solarity Scope with InfoTech® 2006 Softwate

$0,000.00
No. 3852

No. 3852 Solarity 4-Channel Scope Kit
Includes 4 Scope/DMM leads, ground lead, kV ignition lead, ignition sync lead, HEI adapter, manual, InfoTech Smart Card, CD, and carrying case.

No. 3852M Solarity 4-Channel Scope Master Kit
Includes 4 Scope/DMM leads, ground lead, kV ignition lead, ignition sync lead, HEI adapter, Low Amp Probe 0-60A, pressure/vacuum adapter, temperature adapter, COP adapter (5 OEM's), COP adapter cable, 14-piece terminal adapters, BNC/Banana adapter cable, 3 test probes, 3 back probes, manual, InfoTech Smart Card, CD, and carrying case.

No. 3852MT Includes 3852M with a 4-hour training coupon. **Note: Only for sale in U.S.A.**

$0,000.00 No. 3852M **$0,000.00** No. 3852MT

Buy a 3167 Sabre Hp and receive a 3176 Smart Charger FREE!

NEW

Coupon is shipped with the 3167

Battery and Electrical System Diagnostic Tester

- Digital circuitry precisely controls battery test loads to accurately determine battery conditions.
- Tests both flooded lead acid and AGM/gell cell batteries accurately—down to 1 volt state of charge.
- Tests vehicle starting and charging systems with minimal user interaction.
- Tests all 6- and 12-volt batteries with a 50-2000 CCA operating range.
- Scales: CCA, CA, AHR, MCA, JIS, DIN.
- Removable/auto-sensing leads. (3' leads included in kits, optional 10' leads available.)
- Optional amp clamps for current drain tests and starting/charging measurements.

No. 3167 – SABRE HP Includes SABRE HP, 3' test leads, side-post terminal adapters, instruction manual, and molded-plastic carrying case.

$000.00
No. 3167

Ford® PDS Advanced Kit

NEW

$000.00
No. 3912

Now available to the aftermarket exclusively from OTC is the Ford Portable Diagnostic Software (PDS) Advanced Kit, a genuine Ford OEM scan tool. The PDS is designed to be a user friendly and completely portable diagnostic handheld scan tool. The PDS is a complete tool out of the box, with no additional equipment purchases required to operate.

Includes:

- Vehicle Communication Module (VCM)
- Hewlett Packard Pocket PC (Includes cables, software, and docking station)
- 1-Year Ford diagnostic software subscription
- DLC Cables
- PDS soft case for P-PC & VCM
- PDS/PFM Software Installation DVD
- VCM AC Power Supply

Smart Battery Charger and Maintainer

Utilizes switching technology which helps restore the batteries that are slightly sulfated.

Switches to float mode after the battery is completely charged.

NEW

$000.00
No. 3176

- Maintains the battery charge level during vehicle programming.
- Charges deep discharged batteries in about 12 hours.
- Application: Lead Acid (FLA, AGM, GEL).
- Maintains the battery charge level if the vehicle or the battery needs to be stored for an extended period of time.
- Switches to float mode after the battery is completely charged.
- Utilizes switching technology which helps restore the batteries that are slightly sulfated.
- Easy to read LED lights to show the status of charging and battery condition.

Digital Battery Tester

- Tests 12V batteries (125 - 1400 CCA range).
- Analyze starting/charging system voltages.
- Live voltmeter allows easy starting/charging system testing.
- 4-digit LED display shows good/bad status, available CCAs, and voltage.
- Utilizes cost effective conductance test technology for accurate testing at a value price point.
- Includes soft-sided carrying case.

$000.00
No. 3183

130 Amp Digital Battery Load Tester

- 0 - 16 volt range
- State of charge
- Battery load test
- Starter test
- Charging system test
- Alternator ripple test
- Includes test leads

$000.00
No. 3182

130 Amp Heavy-Duty Battery Load Tester

- 130 amp load capacity for accurate results
- 0 - 16 volt range
- Uniquely-designed clamps for both top and side post batteries
- Extra large display with zero adjust
- Works on both 6V and 12V batteries

$000.00 No. 3181

Automotive 2-Channel Lab Scope

- Powerful built-in reference information for each preset test include a test procedure, normal reference signal pattern, theory of operation, and trouble shooting tips. Coverage years 1985–2006.
- A 25 Mega-sample per second (one channel minimum) sample rate for rapid data updates.
- True RMS GMM (Graphing Multimeter) measurements and graphs.
- "Glitch Snare" feature captures, displays, and saves abnormal signal patterns in the Scope mode for component testing.
- Real-time comparison between actual waveforms and reference waveforms on the same screen for component testing.
- 1-year warranty.

$000.00
No. 3840F

NEW

3840F Kit Contents
Automotive 2 Channel Scope, • Shielded Test Leads with Ground (2 pcs) • Secondary Ignition Pickup • Alligator Clips (3 pcs) • Back Probe Pins (3 pcs) • Test Probes (3 pcs) • AC Power Adapter • Ni-MH Rechargeable Battery Pack (Installed) • USB Interface kit (not pictured) • User Manual • Soft Carrying Case.

3840-13 Database Update Kit
The 3840-13 kit gives current OTC 2 Channel Scope owners the ability to update the vehicle-specific database on their scope. Add wiring diagrams, test procedures, operation theory, and troubleshooting tips for model years 2001 thru 2006 on 25 makes. The simple process takes just moments to add these powerful tools and increase your productivity.

NEW

$000.00
No. 3840-13

(Update requires access to a PC with Windows 2000 or newer)

100 Amp Battery Load Tester

- 100 amp load capacity
- 0 - 16 volt range
- Load safety switch prevents arcing
- Works on both 6V and 12V batteries
- Ceramic insulators

$000.00 No. 3180

GM® Tech 2

NEW

No. 3649 Shown

The updated GM Tech 2 Kits are now available from OTC. The genuine OEM scan tool loaded with authentic GM software means you have the same information as dealers.

No. 3649 *GM Tech 2 Deluxe Kit. with CANdi Module, Saturn Reprogramming Adapter, and PC Interface Kit.* **$0,000.00**

No. 3648 *GM Tech 2 Basic Kit.* **$0,000.00**

GM® Multiple Diagnostic Interface (MDI)

NEW

No. 3846 Shown

OTC now offers the genuine OEM GM MDI to the aftermarket. The GM MDI is a compact communication tool that allows the user to perform Data transfer and Electronic Control Unit (ECU) reprogramming procedures using GM SPS software running on a laptop or PC.

No. 3846 *GM MDI Programming Solution Bundle. Includes GM SPS one-year subscription.* **$0,000.00**

No. 3845 *GM MDI Hardware Kit.* **$0,000.00**

Oil Light Reset Tool

- This kit eliminates the need to take the vehicle to the dealer or use an OEM scan tool to reset oil service lights.
- Electronic tool set includes the adapters and interface module required to reset the oil service lights on Volkswagen, Audi, Mercedes Benz, BMW, and Volvo.

$000.00
No. 3596G

- Updated manual now covers thru 2007 vehicles. Manual includes oil reset tool procedures as well as manual reset procedures for domestic and import vehicles.

Update for 2007 Coverage:

No. 3596G-9 *Oil light reset manual only.* **$00.00**

SPECIAL TOOLS

Leak Tamer™ Plus EVAP

- Easy, effective, versatile tool to help technicians diagnose EVAP trouble codes on domestic and import cars and light trucks.
- Patented UltraTraceUV™ technology — the only OEM-approved dye available.
- Works with nitrogen or shop air to meet all OEM test requirements.
- Uses existing OTC LeakTamer accessories.
- Uses OEM-Approved Technology. This technology was developed in collaboration with Ford Motor Company, GM, and Daimler Chrysler to specifically test a vehicle's EVAP system and to meet major automakers' EVAP testing specifications and needs.
- The LeakTamer Plus EVAP Model 6521 is EVAP-approved.
- Accessories Included: No. CEA-01 — 3-1/2" Diameter Exhaust Cone; No. CEA-02 — Assorted Cap Plug Kit; No. CEA-04 — Standard Service Port Adapter; No. CEA-049 — Dual Size Schrader Removal Tool; No. HS-400AC — 400,000 CP Spotlight with 20 foot Cord and Battery Clips.

$0,000.00
No. 6521

11-Piece Trim Tool Kit

Includes 11 specialty tools designed to remove trim strips, panels, wheel caps, bezels, liners, shrouds, fascia, and more... Tools are constructed of durable, impact-resistant nylon that will not damage non-metal interior trim surfaces.

- Cloth pouch rests flat on a dashboard or fender for easy access to tools and then folds up with tools inside for storage.
- Kit has multiple applications in the automotive, aviation marine, and other industries.

NEW

$000.00
No. 6642

Honda/Acura Crankshaft and Harmonic Balancer Holder

NEW

$000.00
No. 4732

- Allows the crankshaft pulley and/or harmonic balancer bolt to be broken loose.
- Includes tool necessary to properly counter the rotation of the crankshaft pulley/harmonic balancer during removal and reinstallation of crank bolt.
- Secures the pulley in place not allowing it to rotate during removal and reinstallation of crank bolt.
- Specially designed to work on 1990 and newer HONDA/ ACURA models & HONDA CIVIC 1980 and newer models.

9-Way Slide Hammer Puller Set

5 lb. Hammer in Polished Chrome Finish.

NEW

$000.00
No. 4579

- Pulls flange-type rear axles and most front-wheel drive hubs.
- Internal and external jaws provide a variety of combinations to pull bearings, gears and seals.
- Two- and three-way cross blocks and cone provide the perfect jaw configuration for most jobs.
- Set also includes a grip wrench adapter and a dent puller attachment for sheet metal or other unique pulling requirements.
- Designed for use with other OTC 5/8"-18 thread slide hammer attachments.
- Packaged in blow-molded case.

StrutTamer™ Extreme Spring Compressor

NEW

Shown with strut

6592

Simply the most effective compressor for virtually any straight, conical, or offset spring.

- Extreme duty design to handle the heavier springs found on mid- and some full-size truck strut assemblies.
- New frame includes cross bracing at arm mount locations - standard. This eliminates frame flex when compressing heavier springs.
- 2:1 reduction gearbox - standard. Allows for a 2:1 torque compression increase when compressing struts.
- The arms adjust in and out, up and down, to accept many sizes of springs. (2-1/2" to 10" diameter) (2-1/2" to 24" vertical stroke)

Available March

- Lock rings to hold arms in position - standard. This eliminates arms from spreading or sliding when compressing offset or unique strut configurations.
- Four-point locking jaws securely hold the spring in place.
- Open-ended design means you can take the strut in and out, quickly and easily.
- Extra long 3-bar handle gives user the leverage needed to compress heavier strut springs.
- No need to change shoes for different size springs.
- Comes with No. 6583 Bridge accessory to be used on springs that cannot be compressed enough to remove the retaining nut.

No. 6592 *StrutTamer Extreme. Includes StrutTamer spring compressor, No. 6587 gear box, No. 6583 Bridge accessory, and No. 6582 mobile stand.* **$000.00**

No. 6591 *StrutTamer Extreme. Same as 6592 without No. 6582 mobile stand* **$000.00**

HubTamer Elite

- Puller Weldment adapter has been improved with the addition of a beveled edge for use in tight fitting applications!
- New Ford adapter for use on Taurus/ Sable 1986-1995 and Contour/ Mystique 1995 - 2001 vehicles.
- For those who want to update their current No. 6490 HubTamer you can purchase the Weldment and new Ford adapter separately.

$0,000.00
No. 6537

- Updated case and application information.

No. 6573 *Weldment with beveled edge.* **$0,000.00**

2-Ton & 5-Ton "GripLock" Pullers

Manufactured to our rigorous specifications to ensure the quality professionals expect from OTC.

- Pressure bearing yoke cap holds jaws in place for ease of set up - in any orientation.
- Yoke arms are designed with two positions for jaw placement enhancing spread control and providing optimal pulling force.
- 2 or 3 Jaw application.
- Configuration conversions take just seconds. No wrenches required.
- Both External and Internal Pulling Action.
- "Live Center" action forcing screw.
- Professional finished for long lasting durability...

No. 464 *2-Ton Puller with a 4" maximum reach, 3" to 4" spread.* **$000.00**

No. 465 *5-Ton Puller with a 7" maximum reach, 3" to 7" spread.* **$000.00**

Truck Pinion Bearing Race Driver

NEW



$000.00
No. 4409

Includes eight aluminum drives:

2-11/16 in.	(68.26 mm)
2-27/32 in.	(72.23 mm)
2-7/8 in.	(73.02 mm)
3 in.	(76.20 mm)
3-1/4 in.	(82.55 mm)
3-1/2 in.	(88.90 mm)
3-3/4 in.	(95.25 mm)
4-1/2 in.	(114.30 mm)

- Use to install pinion bearing races into the differential case without causing damage.
- Contains two handles: knurled handle allows use of a hammer; smooth handle fits into a pneumatic hammer.
- Attach knurled extension to the knurled handle for extra reach when installing races in a deep differential case.

MOTORCYCLE TOOLS

10-Piece Flywheel Puller Set

NEW

- Developed for many small engines in the ATV, and Motorcycle service markets, these tools are machined from high quality tool grade steel and are packaged in a convenient blow-molded case.

$000.00
No. 4742

- Each part is marked with size for reference and has a corresponding location in the storage case.
- Works on many makes like Honda, Suzuki, Kawasaki, Yamaha, Ducati and others. For street, performance or off-road.

Pro Spoke Tool

- Use to tighten or loosen spoke nuts found on most motorcycle wheels
- Nine interchangeable wrench ends 5.2 mm, 5.4 mm, 5.6 mm, 5.8 mm, 6.0 mm, 6.2 mm, 6.4 mm ,6.6 mm, 6.8 mm.

$000.00
No. 4741

Spring Hook

- Made from heat treated alloy steel.
- 6" reach–designed for removing and installing hard-to-reach headlight adjusting springs, exhaust and brake springs.

$000.00 **No. 4740**

Chain Brush

- Use to clean and oil various sized roller chains found on motorcycles, ATVs, machinery, etc.
- Brushes adjust to chain widths ranging from 1/4" to 9/16".

$000.00 **No. 4739**

Ford Spark Plug Removal Kit

NEW

3-Piece Spark Plug Socket Set

- Works on GM, Chrysler, Ford, and many import vehicles with 13/16" spark plugs; 4-7/8" long.
- Works on GM, Chrysler, Ford, and many import vehicles with 5/8" spark plugs; 4-7/8" long.
- Works on 2004–newer Ford vehicles with 5.4L, 4.6L, 5.4L, 3-valve Triton V8 and 6.8L Triton V10 engines; 5-7/8" long.

Compression Tester - Deep Well Connector

- Popular 14 mm thread for both flat and tapered seat plugs.
- The deep well connector is necessary for use with the Ford TritonTM engines.

$000.00
No. 6896P

Compression Tester Ford Adapter

- Works on 2004 and newer Ford 4.6L and 5.4L, 3-valve, TritonTM V-8 engines. (Triton is a registered trademark of the Ford Motor Co.)
- Use with compression testers having a 14 mm thread.

Spark Plug Sleeve Remover

- Works on Ford 5.4L, 3-valve engines used in 2004–'08 F-150, 2005–'08 Expedition and Super Duty, 2005–'08 Lincoln Navigator, and 2006–'08 Lincoln Mark LT.

One-Man Brake Bleeder Hose

- Removes air from brake system, one wheel at a time, and eliminates the need for an assistant.
- Hose easily attaches to bleeder screw, which holds hose in place and prevents leaking.
- Check valve on end of hose prevents air from entering brake system when pumping brake pedal.

No. 4599 *One-man brake bleeder hose.* **$000.00**

No. 4809 *One-man brake bleeder hose set. Do all the wheels at the same time. Includes four of the No. 4599.* . . **$000.00**

Bearing Race and Seal Driver Kit

- The Bearing Race and Seal Driver Kit provides a convenient way to smoothly and quickly position a bearing in the inner hole of an axle.
- The kit includes a handle grip and six heavy-duty bearing drivers. The drivers have different diameters in order to match different-sized bearings, and three of the drivers are formed with two different diameters.

$000.00
No. 4408

Bearing Driver Sizes:

1.555" (39.5 mm) 1.752" (44.5 mm) 1.968" (50.0 mm)
2.322" (59.0 mm) 2.48" (63.0 mm) 2.559" (65.0 mm)
2.834" (72.0 mm) 2.992" (76.0 mm) 3.189" (81.0 mm)

Ball Joint Super Set

- For removal and installation on most Trucks, SUV's, and Vans from GM, Ford, Chrysler 1972 to 1997.
- Also includes adapters for Honda (Accord, Civic, del Sol, Prelude) 1983-1997.

$000.00 No. 6530

Ford Ball Joint Adapter Set

- Allows easy removal and installation of the lower ball joint on 1996–2004 Ford Taurus and Mercury Sable vehicles.
- Lower ball joint can now be replaced without having to replace the entire spindle assembly saving up to an hour of labor.
- Adapters are used with OTC No. 7248 C-Frame.

$000.00
No. 8032A

C-Frame Update Kit

- Kit contains two adapters which, when coupled with the large C-frame included in OTC No. 8031 SUV Ball Joint Kit, make it possible to use any adapter designed for use with the smaller OTC No. 7248 C-frame.

$000.00
No. 6730

Ford Ball Joint Adapter Update Kit

- Three-piece kit contains specialty ball joint adapters for use with the industry standard OTC No. 7248 C-frame.
- Designed to work with the following Ford vehicles: F-150, F-250, F-350, F-450, F-550, Excursion, Expedition, Explorer, Ranger.



$000.00
No. 6731

GM Ball Joint Adapter Update Kit

- Four-piece kit designed to be used with the industry standard OTC No. 7248 C-frame. Contains specialty ball joint adapters to fit the following GM vehicles:
- TrailBlazer and Envoy, 1500 Silverado, Suburban and Tahoe, Avalanche, Escalade, Express and Savana, Hummer H2.

$000.00
No. 6732

Asian Vehicle Ball Joint Adapter Update Kit

- Use this two-piece tool kit, along with OTC Ball Joint Kit No. 6530, to remove and install lower ball joints on the following Honda and Toyota vehicles:



$000.00 No. 6733

Honda/Acura Ball Joint Adapter Update Kit

- Use this three-piece tool kit, along with OTC C-frame No. 7248, to remove and install lower ball joints on the following Honda and Acura.



$000.00 No. 6734

Sprinter Van Front End Kit

- Eight piece kit contains the tools needed to service lower ball joints on 2004–'07 Dodge Sprinter vans: tie rod remover / separator; wheel alignment studs; ball joint remover; driver, receiver, and installing rings.
- Use this kit with OTC No. 6736 C-frame.

$000.00 No. 6735

Large C-Frame

- Required for use with No. 6735 Sprinter Van Ball Joint Kit.
- When used with OTC No. 6730 Update Kit, you can expand the applications of OTC Nos. 7249, 7918, and 6530 Ball Joint Kits.

$000.00 No. 6736

OIL FILTER SOCKETS

NEW

No. 6909 – Magnetic holder and 5 oil sockets includes:



$000.00
No. 6909

No. 6903 – Ford/Mazda and Toyota
75.6 mm, 14 Flutes. $00.00

No. 6904 – Hyundai/Kia
88.22 mm, 15 Flutes. $00.00

No. 6905 – Subaru
66.5 mm, 14 Flutes. $00.00

No. 6906 – Toyota Avalon/Tundra 5.7L
65 mm, 14 Flutes. $00.00

No. 6908 – Toyota Tundra 4.7L
73 mm, 14 Flutes. $00.00

No. 6910 – Magnetic holder. $00.00

GM 6-Cylinder Cam Tool Set

- Required tools to adjust and hold cam shaft timing on GM 3.0 and 3.2 V-6 engines.
- Kit is designed to save shop time when servicing GM 3.0 and 3.2 V-6 engines.

$000.00 No. 6687

GM In-line 4-Cylinder Cam Tool Set

- Required tools to service camshafts timing on 1987-2006 GM 4 cyl. overhead cam engines.
- Based on OE design.
- Tools organized in blow molded case.

$000.00 No. 6685

GM In-line 5, 6, or V6 Cam Tool Set

- Required tools to service camshaft timing on 1999-2006 6 and V6 cyl. GM engines and 2004-2006 5 cyl. GM engines. Based on OE design.
- All tools in one organized blow molded case.

$000.00 No. 6688

GM Water Pump Holding Tool

- Holds timing chain in place so water pump can be removed for service.
- Special design allows easy installation regardless of timing chain orientation.
- Simply remove access plate from front cover and install the tool.
- Tool saves costly loss of timing on 2002–2008 GM 2.2L and 2.4L EcoTech motors found in Chevrolet, Oldsmobile, Pontiac, and Saturn platforms.

$000.00
No. 6616

Fingertip Ratchet Bit & Socket Kit (29 piece)

- Two fingertip ratchets (three-positions: forward, lock, reverse). One bit driver; one socket driver with quick release.
- 13-piece, 1/4" drive sockets. SAE: 1/4", 9/32", 5/16", 11/32", 3/8", 7/16". Metric: 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 12 mm, 13 mm.
- 14-piece, 4.5, 6.5 slotted bits, #1 and #2 Phillips bits. TORX: T10, T15, T20, T25, T27, T30; Tamper resistant: T10, T15, T20, T25.

$000.00
No. 5910

52-piece, professional socket set in a blow-molded case.

- Specially selected to cover hundreds of applications from bumper to bumper on cars and trucks:
- Seat belt bolts
- Interior and exterior trim screws
- Engine component fasteners
- Tail lamp lenses and assemblies
- Bumper bolts
- Door strikers and latch fasteners
- Brake rotor bolts
- Headlight bezel screws
- GM front-wheel drive front wheel bearing bolts
- Truck box bolts

$000.00
No. 5900A

Styles available:

- TORX® bit sockets, TORX® PLUS bit sockets, Tamper-Resistant TORX® bit sockets, and External TORX® sockets.
- Made from superior S2 steel to meet or exceed torque specifications.

Professional Grade TORX® Sockets

- NOTE: These high quality bit sockets will provide a lifetime of performance when used with hand tools. The warranty is voided if these bit sockets are ever used with impact tools – NO EXCEPTIONS! Determination of damage by impact tools is subject to SPX evaluation and discretion – NO EXCEPTIONS!

NEW

Standard TORX® Socket Set (12 piece)
T10 to T60, Sq. Drive 1/4", 3/8", 1/2".
No. 6100 ..... $00.00

Universal Brake Caliper Socket set (9 piece)
T40 to T60, 1/4", 3/8", 7mm, 8mm,10mm, Sq. Drive 3/8".
No. 6135 ..... $00.00

Tamper-Resistant TORX® Socket set (7 piece)
TT10 to TT40, Sq. Drive 1/4", 3/8".
No. 6145 ..... $00.00

External TORX® Socket set (7 piece)
E6 to E16, Sq. Drive 1/4", 3/8".
No. 6150 ..... $00.00

Fraction Hex Socket Set (7 piece)
1/8" to 3/8", Sq. Drive 3/8".
No. 6160 ..... $00.00

Metric Hex Socket Set (7 piece)
3mm to 10mm, Sq. Drive 3/8".
No. 6170 ..... $00.00

TORX® Plus Socket Set (9 piece)
TP10 to TP50, Sq. Drive 1/4", 3/8".
No. 6180 ..... $00.00

Ribe Bit Socket Set (12 piece)
M4 to M15, Sq. Drive 1/4", 3/8", 1/2".
No. 5904 ..... $00.00

Tamper-Resistant TORX® Plus (11 piece)
IPR8 to IPR55, Sq. Drive 1/4", 3/8".
No. 5905 ..... $00.00

TORX® HEX
Tamper Resistant TORX® HEX
TORX® PLUS RIBE

Professional Grade "L Key" Sets

- These specialty fastener L Keys are manufactured with premium grade tool steel - for a long life of repetitive use.
- Each wrench is marked with size for quick identification and is finished in Satin Chrome for professional appearance.

NEW

SAE Ball Hex "L" Keys Set
(10 piece) 1/16" to 3/8".
No. 6950 ..... $00.00

Metric Ball Hex "L" Keys Set
(10 piece) 1.5mm to 10mm.
No. 6952 ..... $00.00

Standard TORX® "L" Key Set
(10 piece) T8 to T50.
No. 6954 ..... $00.00

TORX® Plus "L" Keys Set
(10 piece) TP8 to TP50.
No. 6956 ..... $00.00

TORX® TAMPER RESISTANT "L" Keys Set (10 piece) TT8 to TT50.
No. 6958 ..... $00.00

TORX® Tamper Resistant TORX® TORX® PLUS
HEX Ball Point
HEX Ball Point

Ford Axle Shaft Seal Installer

- Works on 1998-2004 Ford F-250, F-350, F-450, and F-550 4X4s having the vacuum-operated front axle.
- Correctly installs the seal onto the axle shaft and into the wheel knuckle, preventing front hub vacuum leaks that would cause the 4WD to not engage.

$000.00
No. 6695

SHOPEQUIPMENT

Easy Roller™ Vehicle Positioning System



1580 Stinger Easy Roller™

- Provides simple and efficient method of moving a disabled vehicle around a shop environment.
- Fits tread widths up to 12"
- 4 heavy-duty phenolic casters
- 1,500 lbs. capacity per unit.
- Hydraulic lift mechanism with locking pin.

No. 1581
Sold Individually



1581 Stinger Easy Roller™ Stand

- This stand provides users of the 1580 with convenient storage rack for up to 4 Stinger 1580 Easy Roller Car Dollies (sold separately).
- Capacity: 4 Easy Rollers @ 44 lbs. each approx. 200 lbs. (1580's sold separately)
- Easy Loading / Unloading of units.
- Casters for easy mobility in shops and non-metal wheels to protect shop floor.
- Small profile for minimal space usage.
- Easy to assemble.
- Stinger 2-year warranty for materials and workmanship.

$000.00
No. 1580





No. 1581
Sold separately

NEW

$000.00
No. 1581

SUV Jack Pack

This jack pack provides a 3-1/2 ton service jack with lifting range of 4" to 21" and a pair of 6-ton jack stands with a base of 11-7/16" x 10" and height range of 15-3/4" to 24".

- One pump to load and three pumps to full height unloaded.
- Spring-loaded, 48" handle provides rapid return after each pump.
- Heavy-duty construction with pinned 4-3/4" rubber saddle and 2-year limited warranty.
- Stands have formed and welded steel base for strength, self-locking ratchet handle that cannot be released under load, and a durable baked enamel finish that resists corrosion.

$000.00
No. 1536

3-Ton Stinger JACK PACK

- Pack includes both a No. 1504A 3-ton hydraulic service jack and a pair of No. 1772C 3-ton ratcheting jack stands.
- The stands have a steel base for strength, self-locking ratchet handle, durable baked enamel finish and conform to ANSI PALD-4 load rating standard.
  Base: 8-1/4" x 7-1/2".
  Height range: 11-5/8" to 17-1/8".
- Jack has a light, compact design with a 37-1/2" handle length, and a lifting range of 5" to 20".

$000.00 **No. 1500A**

High-Lift Dual Whhel Dolly

- Effortless air-powered hydraulic lift system for a variety of applications.
- 1,500 lb. capacity.
- 0 to 42" lifting range.
- Six-inch lateral adjustment.
- Tilt adjustment of +15° to -8° ensures easy alignment.
- Features four swivel casters, two locking, for enhanced mobility.

$0,000.00
No. 5105A

Air/Hydraulic Pump

- Ideal all-around power source develops 10,000 PSI at 100 PSI air.
- 2-stage release mechanism; internal relief valve.
- Pump, hold, or release load with pedal control.
- 98 cu. in. of useable oil.

$000.00 **No. 2510A**

Stinger Series 4-Ton & 10-Ton Collision Repair Sets

- Components snap together for quick setups to apply pushing, spreading, or pulling force.
- Components include hydraulics along with extension tubes, adapters, and heavy-duty storage case.

No. 1513B – 4-ton Collision Repair Set. Ram has 4" stroke.
No. 1515B – 10-ton Collision Repair Set. Ram has 6" stroke.
Storage case comes with wheels.

$000.00 **No. 1513B**
$000.00 **No. 1515B**

Low Profile Fluid Receiver

- Designed for receiving waste fluid during a wide range of repair jobs.
- Fluid capacity: 7.5 gallons.
- Constructed of polyethylene plastic for heavy-duty use—yet only weighs 13 pounds.
- Low profile, only 5" high, it easily slides under passenger cars.
- Designed with four casters to provide efficient maneuverability.
- Suitable for cooling system repair jobs—can be used for antifreeze.
- Includes splash screen to prevent spillage and splashing.

Two-year warranty.

$000.00 **No. 1577**

Ratchet Style Jack Stands, 3, 6, & 12-ton

- Steel base for strength, self-locking ratchet handle, durable baked enamel finish.
- Stands conform to ANSI PALD-4 load rating standard; are factory tested before shipment.

No. 1772C *Pair of 3-ton jack stands. Base: 8-1/4" x 7-1/2". Height range: 11-5/8" to 17-1/8".* **$00.00**

No. 1773C *Pair of 6-ton jack stands. Base: 11-7/16" x 10". Height range: 15-3/4" to 24".* **$00.00**

No. 1784C *Pair of 12-ton jack stands. Base: 12-5/8" x 11-3/8". Height range: 18-1/8" to 28".* **$00.00**

1,000 lb. Capacity Stinger Transmission Jacks

- Wide leg base (37-1/8") with swivel wheels (brakes on two wheels). Fully adjustable universal saddle.

No. 1794 Air-Assist shown

No. 1793A – (not shown) Foot operated hydraulic pump for ease of control when positioning or removing transmission. Height in low position, 34-7/16"; max. 70-7/8". Tilt forward, 24°; backward, 19°; either side, ±20°.

No. 1794A – Air/hyd. jack, primary stage activated by a foot pedal. Second stage, activated by a hand pump, provides precise control when raising. Release knob gives precise control when lowering. Height in low position, 36"; max. 74-7/8". Tilt forward, 42°; backward, 46°; either side, ±12°.

$000.00 **No. 1793A** **$000.00** **No. 1794A**

1500 lbs. Capacity Engine Lift Package

- This package includes a No. 2002 floor crane and a No. 4305 engine load leveler — two pieces of equipment that you need to handle and position large, bulky components,and at an affordable price.
- The 2002 floor crane used alone has a 2000 lbs. capacity. The 4305 load leveler has 1500 lbs. capacity.
- The load leveler hooks to the floor crane and may be adjusted to compensate for off-balance loads, or angled when positioning components.
- The floor crane easily folds up for storage, conserving valuable floor space in your shop.
- The floor crane's front wheels are 3-1/2" with 5-7/8" rear casters.

$000.00
No. 2003

No. 2002 *2000 lb. capacity crane with a reach of 25" to 46".* **$000.00**

No. 4305 *1,500 lb. capacity engine load leveler.* **$000.00**

1500 lbs. Capacity Motorcycle Lift

- 1500 lbs. capacity and large 3-1/8" wide skids that are 17-1/4" long will lift the largest, widest cruisers.
- Lowest clearance available, 3-1/2" at lowest level, with a wide lift range of 3-1/2" to 16-3/4".
- Removable handle makes for easy movement around load.
- Features also include foot pedal release, locking rear casters, 4 locking positions with automatic safety lock, and two ratcheting tie down straps for safety.

Two-year warranty.

$000.00
No. 1545

22-Ton Capacity Under-Axle Jack

- Long 50" T-handle for easy positioning under vehicles with long overhangs.
- Jack has large rubber-tired wheels.
- Lifting range: 8-3/8" min. height, max height 16-1/2" with adapter. Includes four adapters.
- Cylinder stroke is 4-1/8", PSI range is 90-145.

OTC Stinger Series

$000.00
No. 1788A

Hydraulic Service Jacks

2½-, 3- & 3½-Ton Jacks

- Light, compact design makes them easy and convenient to use.
- Built-in safety overload system/ prevents use beyond their rated capacity.
- Rear swivel casters, for easy maneuvering and positioning.
- These jacks have 5" saddle dia., 21" overall reach, 6-1/4" frame height, 37-1/2" handle length, and a floor space of 14" x 26".

No. 1503A *2-1/2-ton capacity with a lifting range of 5" to 20".* **$00.00**

No. 1504A *3-ton capacity with a lifting range of 6" to 23-1/2".* **$00.00**

5 & 10-Ton Hydraulic Service Jacks

- Both models have spring-loaded 40" handle and the built-in safety overload prevents use beyond rated capacity. Foot pedal speeds the lifting operation. Handle can be locked into any position.

No. 1505B *5-ton capacity with a lifting range of 5-7/8" to 22", reach 46", frame height 7-7/8", and floor space of 56" x 14-3/4".* **$00.00**

No. 1510B *10-ton capacity with a lifting range of 6-3/8" to 22", reach 49", frame height 9-7/8", and floor space of 61-3/8" x 18-1/8".* **$00.00**

5 & 10-Ton Air-Assist Service Jacks

- Huge front wheels mounted in bearings provide trouble-free service life and the rear swivel casters make spotting the jack easy.

No. 1507A *5-ton air-assist with lifting range of 5-7/8" x 22", Overall 56" x 14-3/4".* . . **$00.00**

No. 1511A *10-ton air-assist with lifting range of 6-3/8" x 22", Overall 61-3/8" x 18-1/2".* **$00.00**

OTC Stinger® Series



For more information on any of these tools, visit www.otctools.com

2-, 3-, 6- and 10-Ton Service Jacks

Unique, innovative design featuring...

- New "OTC Family" look.
- Ergonomic handle for user comfort and easy mobility.
- CE marked ASME/PALD tested.
- Polyamide wheels are superior to cast wheels due to their high mechanical strength and durability:
  - – Tensile and virtually indestructible to usual impact, and bending stress.
  - – Demonstrate exceptional resistance to wear and tear.
  - – Will not damage garage floors, do not rust, and are quiet in operation.
- Foot pedal for quick approach of the lifting saddle to load.

Built-in tray for fasteners and tools.



5202 shown

No. 5202 *2-ton Service Jack. Min. height 3", Max.Height 18-1/4".kit.* **$000.00**

No. 5203 *3-ton Service Jack. Min. height 5-1/2", Max.Height 20-3/4".* **$000.00**

No. 5206 *6-ton Service Jack. Min. height 6-11/16", Max.Height 22-7/8".* **$000.00**

No. 5210 *10-ton Service Jack. Min. height 6-11/16", Max.Height 23-13/16".* **$000.00**

Wheel Stud Remover/Installer

- Installation done by pushing on the head, eliminating the need for threaded adapters.
  - – Reduces number of adapters required
  - – Reduces damage to studs
  - – Increases ease of use
- Remove and install 10 studs in only 10-15 minutes (compare to 20-30 minutes for more expensive competitive products).
- Can be powered with an impact wrench, no hydraulic power source required.
- No need to remove hub from vehicle.
- Reduces risk of damage to hubs, studs, and bearings when using tool.
- Weighs only 12 lbs., assembled to remove studs and 14 lbs., assembled to install studs.
- Works on most hubs for installation and removal.
  - – All sizes of studs

PATENT PENDING

$0,000.00
No. 5195

OTC

Heavy-Duty Universal Joint Puller

The ideal tool for disassembling drivelines...

- May be used with up to a one-inch impact wrench.
- Quickly and easily removes sealed U-joint cups without the need for hammering or heat.
- Will not damage the driveshaft, yoke, bearing cups, or joints.

Only for sale in U.S.A.

Fits practically all Class 7 and 8 trucks, including: Spicer drivelines 1610, 1710, 1760, 1810, 1880, Spicer SPL 140, 170, and 250 "Life Series" Meritor (Rockwell) 16N, 17N, 18N, 1710 Meritor RPL 20 and 25 "Permalube" Series.

$000.00
No. 5190

Heavy-Duty Bearing Cup Installer

Quickly and easily installs bearing cups on bolt-retained universal joints. Fits series 1610 to 1880 and nearly all other heavy-duty truck and machine type u-joints with bolt-retained bearing cups.

- Automatically aligns bearing cups during installation.
- Eliminates the possibility of damage to the needle bearing.

$0,000.00
No. 5192

Heavy-Duty Bearing Cup Installer

Quickly and easily installs bearing cups on Dana/SpicerSPL "Life Series" quick-disconnect universal joints.

- Three individual adapters press bearings to the manufacturer's recommended depths.
- Adapters fit Spicer SPL 140, 170, and 250 series drivelines.

OTC

$000.00 **No. 5191**

3-Stage Under Axle Jack

Three-stage lift capacity 71.5, 38.5, and 22-tons. Ideal for lifting loaded trailers, buses, and other Class 7 and 8 vehicles.

- Piston and cylinders are made from chromium molybdenum vanadium steel for durability and then liquid nitrided to prevent rust and seizing.
- Features a high load-approach speed.
- Self-retracting, air-driven cylinder eliminates manual lowering.
- 4-position handle: horizontal, 45 degrees, vertical, or collapsed.
- 7-inch minimum height for low clearance vehicles.
- Comes complete with a 3-15/16 in. (100 mm) lifting extension.
- Complies with ASME / PALD test requirements.

$0,000.00
No. 5093A

Truck Clutch & Flywheel Handler

- Handles 14" and 15-1/2" clutch assemblies weighing up to 150 lbs. Lifting range of 9" to 37". Swivel casters provide easy maneuverability. Includes a 2" spline shaft with a 1-1/4" pilot to aid in alignment.

$0,000.00 **No. 5015A**

2,200 lb. Capacity Jack for Truck Transmissions

OTC

- Low profile of 8".
- Special mounting adapter fits Eaton® Fuller® RoadRanger® and Rockwell® heavy-duty transmissions.
- Swiveling hydraulic pump handle and fast-acting pump.

No. 528150 – Eaton® "Lightning" adapter. Used with the No. 5019A transmission jack. **$00.00**

$0,000.00
No. 5019A

Transfer Tanker

- Draining oil from a large displacement engine and getting it to your bulk storage container is a snap with OTC's Transfer Tanker on your team.
- Used oil is collected in the 15-gallon reservoir, and then rolls smoothly on 4" free-wheeling casters to your storage location.
- Pump moves five gallons a minute through the 8-foot transfer hose.
- Low profile, measures 7-1/2" from floor to top of reservoir.
- Handle is removable for easy storage and screen attached to reservoir allows assembly to be stored on its side.
- Can also be used for transferring antifreeze.

No. 5097

OTC

No. 5077 *Transfer Tanker equipped with an electric pump (No. 528093). Wt., 49 lbs.* **$00.00**

No. 5097 *Transfer Tanker equipped with a pneumatic pump (No. 529966). Wt., 49 lbs.* **$00.00**

6000 lb. Revolver® Diesel Engine Stand

- 96-to-1 ratio worm and gear set rotates components 360°; handle locks in any position.
- Includes universal mounting plate for use with individual engine adapter plates.

$0,000.00 **No. 1750A**

Air/Hydraulic Pump

- Ideal all-around power source develops 10,000 PSI at 100 PSI air.
- 2-stage release mechanism; internal relief valve.
- 98 cu. in. of useable oil.

$000.00
No. 4020

Portable Under-Axle Jack (11/27.5 Ton)

Ideal for roadside service ultra low weight and integrated design no loose tubes, handles, or valves.

- Portable only 65 lbs.
- User friendly - control valve, steering, and carrying handle integrated into one function.
- Built-in safety valve to prevent overloading.
- Complies with ASME / PALD and CE standards.
- Hard chrome-plated piston rods for long life.
- Manually operated dead man's control.
- Comes with two extensions: 2" and 3-7/8".

$0,000.00
No. 5225

Engine Support Bars

Unique, innovative design featuring...

- Cutting edge, patent pending design self-centers load to prevent tipping on inclined surfaces.
- Smooth sliding legs adjust easily to different vehicle widths.
- PVC-coated support legs don't scratch vehicle surfaces.
- "Quick Connect" third-point bar (No.1725) makes setup a snap.
- Spinner handle enables lightning fastadjustment.
- "Quick Connect" third-point bar (No.1725)





No. 1723 *Engine Support Bar (2-point)* **$000.00**

No. 1725 *Engine Support Bar (3-point)* **$000.00**

16-1/2 Ton Capacity Bench Press

This innovative press integrates all the hydraulic elements within the chassis. The compact and functional design saves workshop space and ensures protection during transport.

- Bolster is adjustable for height.
- Automatic spring return piston.
- Pressure gauge with damper to extend its working life–positioned at eye level for easy reading.
- Includes set of two V-blocks and legs with bolt-holes for fixing to bench.

$0,000.00
No. 5230

Power Train Lift

- Supports up to 1,250 lbs.
- Compact design and swivel casters for easy maneuverability.
- Comes with tilting plate. Height range is 29-1/2" to 68-1/2".

OTC

$000.00
No. 1585A

10-Ton Combination Air Lift and Support Stand

- Height range of 16-1/8" to 49-1/4".
- Removable handle and 8' air hose.
- American-made, carries OTC Lifetime Marathon Warranty®.

$000.00
No. 1591A

Hendrickson Primaax Quick Alignment Socket

- Hendrickson Approved tool.
- Used to adjust axle alignment on the Primaax air suspension.
- Works on Primaax models 230, 460,and 690 rear suspensions.

$00.00 **No. 1767**

SHOPEQUIPMENT

Aluminum Racing Jack Pack

- Lifts two tons and weighs only 43 lbs.!
- Five pumps to max. height 18".
- Low profile 3-1/2" makes it perfect for ground hugging, high performance cars.
- Includes side-mounted handles for quick and easy carrying.
- Made from aircraft-grade aluminum.
- 10-1/4" min. height, 15-1/4" max. height.
- Two-piece, 45" long handle snaps together for quick setup.
- Removable, rubber saddle pad protects vehicle and prevents slipping. Aluminum Jack Stands
- The pair weighs only 11 lbs.!

Made from aircraft-grade aluminum.

No. 1533 *2-ton racing jack pack. Includes 2-ton aluminum racing jack and a pair of 2-ton aluminum jack stands.* **$000.00**

No. 1532 *2-ton aluminum racing jack.* **$000.00**

No. 1582 *A pair of 2-ton aluminum jack stands.* . . . **$000.00**

10-Ton Air Lift

- Adjustable lifting saddles and an extra wide stance for extra stability.
- 10 tons of lift at 200 PSI air pressure.
- Lifting range is 13" to 52".
- Automatic mechanical safety catch engages in five height positions.

$0,000.00
No. 1590

Fuel Tank Handler

- Provides safe and efficient handling of fuel tanks.
- Adjusts from 24" to 38" horizontally and 7" to 11" vertically to service tanks up to 40 gallons.
- Universal adapter plate fits the OTC jack No. 1728 and virtually all competitive transmission jacks in the market.
- Designed to perfectly fit any fuel tank and correctly balance load over jack.
- Cross-link polyethylene foam pads protect tanks from damage.

$000.00
No. 1758

4-Ton Capacity Fork Lift Jack

- 8,000 lb capacity (4 tons) with a low starting height of 2-5/32".
- 10,000 lb capacity (5 tons) when lifting from cylinder saddle–ideal for agriculture and industrial applications.
- Unique shape of primary saddle allows for handling of all lift truck configurations with flat or edged surfaces.
- Features include high-quality seals, chrome-plated internal components, and high-strength steel construction.
- Secondary lifting surface feature.
- Complies with ASME-PALD.
- Lifting Height: 2-5/32 – 17-15/16"

NEW

$000.00
No. 5214

1,000 lb. Capacity Engine Stand

- Four adjustable attachment arms make engine mounting fast and easy.
- Engine can be rotated a full 360° with a turn of the handle; a locking pin secures the work in any of eight positions.
- Two rear wheels lock tightly to anchor the stand in place.
- Easy one-bolt disassembly for transport of stand.
- OTC Lifetime Marathon Warranty®.

$0,000.00
No. 1726A

25-Ton Under Axle Jack

- The low 8" minimum working height enables this jack to get under any truck in the shop.
- Positioning jack is easy, even under vehicles with set-back axles, thanks to a 53" handle that locks into any of three positions, from vertical to horizontal.
- 21" max lift when used with the 3" lifting extension.
- Self-retracting, air-driven ram uses standard shop air. Release valve automatically applies air to retract ram.
- Exceeds ANSI PALD standards.

Now includes No. 220972 3 in. lifting extension.



$0,000.00 **No. 5012A**

Power Train Lift

This lift will handle engine and transmission assemblies, gas tanks, drive axle assemblies, engine / transaxle assemblies, electric bus batteries, and more.

- Scissors-type design allows access to all four sides of a component.
- Powered by a quiet, 110V electric / hydraulic pump.
- Smooth, steady lifting and lowering motion controlled by hand-held remote.
- Two independent adjusting screws tilt the table ±15° side-to-side, or fore and aft.
- Larger casters accommodate heavy loads.
- 30 ft. retractable extension cord mounted to the frame.
- Min. hgt. 29"; max. hgt. 80"; footprint 31" x 50"; tilt table 20" x 32".



No. 1595 shown folded

$0,000.00
No. 1595

2,000 lb. Capacity Heavy-Duty Motor-Rotor® Repair Stand

- Handles a wide variety of engines, transmissions, torque converters, and rear axles from trucks, tractors, and construction machinery.
- Twin-post design, featuring laterally adjustable, 3-position outboard support; provides an extremely stable work-holding unit.
- The 50:1 ratio gearbox allows full rotation of mounted unit with just a turn of the crank and locks in position. Easily maneuvered when loaded.
- Locking rear wheels anchor stand in position.
- Covered by OTC Lifetime Marathon Warranty®.

$0,000.00
No. 1735A

Dual Wheel Dolly

- Hydraulic jack provides almost 5" of lift and tilts wheel assembly 4° to prevent damage to wheel seal.
- 6' chain holds load in place and swivel casters for easy maneuvering.

$0,000.00 **No. 1770A**

Heavy-Duty Bottle Jacks

$000.00 **No. 5221 20-Ton**

$000.00 **No. 5213 12-Ton**

$000.00 **No. 5213T 12-Ton**

- Base, pressure cylinder, and oil reservoir form one internal part, which results in a stronger jack.
- Piston never contacts cylinder, so pressure will be absorbed and not damage jack if vehicle tilts.
- The No. 5213T is telescopic, allowing for very low initial height with high lifting.

Car Dolly (pair)

- Innovative patent-pending design clamps directly to pinch welds to prevent slippage during use.
- Independent units eliminate the need to adjust dolly width for different vehicle designs.
- Each unit has an independently adjustable threaded lift saddle with rubber pads to protect the vehicle frame.
- Universal design for use without additional adapters.
- Each unit has a capacity of 1800 lbs. (3600 lbs., pair) with a low height of 9" and a high of 14".
- Provides easy movement of an FWD vehicle after removal of the drive train.
- 5" polypropylene casters.
- May be used with or without tires on the vehicle.

$000.00
No. 1572

1,000 lb. Capacity High-Lift Transmission Jack

- Universal mounting head provides wide fore and aft tilt range.
- Two-stage hydraulic cylinder design, foot pump, and pedal release mechanism provide precise ease of control when positioning or removing a transmission. Height range: 36" to 73-1/2".
- OTC Lifetime Marathon Warranty®.

$0,000.00 **No. 1791**

Truck Ramps

Capacity per pair: 20 tons

- Long, 33" retractable T-handle enhances mobility.
- Non-skid rubber matting prevents slippage during use.
- Heavy-duty rubber wheels.
- Overall length: 47"; overall height: 9-1/4"; wheels: 5".

No. 5268



No. 5268 *20-ton truck ramps, accepts up to 10" tread width.* **$000.00**

No. 5269 *Wide 20-ton truck ramps for those really wide tires, accepts up to 15" tread width.* **$000.00**

OTC Magnetic Induction Heater System

- Fast, effortless removal of glass, emblems, bonded body components, rusty bolts and much more.
- Flameless heat reduces the need for torches, solvents and abrasives.
- Less flame and solvents reduces potential safety hazards and insurance rates.
- Only heats metal objects, enabling it to be used in or near heat-sensitive areas.
- Wide range of heating inductors for increased versatility.
- Easy-to-read heat output meter to quickly verify induction heat.
- Output isolation transformer provides the safest possible operation.
- CE and CSA approval with UL compliance offers proof of OTC 6650 quality construction and safety design.

$0,000.00
No. 6650



A/C DIAGNOSTICS

DiscovR Refrigerant Identifier

- Protect your A/C service equipment. Know whether or not you have acceptable R134a refrigerant before servicing the vehicle with the DiscovR refrigerant identifier.
- Guard against costly recovery equipment repairs. Contaminated refrigerant can wreak havoc on any R134a recovery, recycle and recharge machine. The average repair cost is $300, and in many cases contaminated refrigerant will void the product's warranty. Shield your RRR machine from contaminated refrigerant by using the DiscovR refrigerant identifier before connecting to the vehicle.
- Uncover hard to find air contamination. DiscovR refrigerant identifier notifies you when the system contains excessive air.
- Fast and Accurate. "Pass" and "Fail" lights clearly show if refrigerant is pure enough to be recovered.

$000.00
No. 16009

NEW

Product Specifications:

Refrigerant:	R134a
Input Power:	12 VDC
Accuracy:	Pass/Fail - 95% pure R134a
Air Detection:	Yes
Approvals:	SAE J1771, UL/C

Transmission Fluid Exchanger

You can have the vehicle in and out of the service bay in less than 20 minutes!

Our unique approach to exchanging fluid... through the transmission oil dipstick!

- No rusty fittings to break loose.
- Easy, convenient, and no damage to other engine components.
- Exchange oil in the pan before it passes through the transmission filter.
- It cannot be hooked up backwards.

Operate through dipstick only, cooler line or a combination of the two!

- Exchange accuracy approx. +/- 1/4 qt.
- 32-qt. supply tank; 34-qt. waste tank.
- Works with all types of automatic transmission fluid.
- Unprecedented one-tenth quart flow metering for adding or subtracting fluid from the pan.
- Complete set of adapters for most foreign and domestic vehicles.

$000.00
No. 92500

Automatic Transmission Fluid Diagnostic Pads

Easy, quick way to test automatic transmission fluid to determine when service is necessary. Simply place a few drops of transmission fluid from transmission dipstick onto test pad. Pad will change color indicating condition of transmission fluid. Package contains 100 pads.

$000.00
No. 92001

2-Way Aluminum Manifold

The new Robinair aluminum manifold bodies are constructed from solid aluminum for added durability needed for repeated, tough daily use. Contoured easy to grip hand wheels are color coded for quick and easy identification.

- Improved face seal valves. Better design provides a tighter seal, less wear and improved flow
- Proven, double O-ring piston design for extra reliability and longer service life
- Easy to read 3 1/8" gauges protected by Lexan lenses
- Aluminum Manifolds include sight glass
- 1/2" ACME fittings
- Manual 90° fittings

- 90° Manual couplers
- 72" R134a Hose Set (1/2" ACME x 14mm)
- Blow-molded carrying case

$000.00 **No. 48510**

- 90° Manual couplers
- 72" R134a Hosea Set (1/2" ACME x 14mm)
- 72" R12 Hose Set (1/2" ACME x 1/4" MFL)
- Blow-molded carrying case

$000.00 **No. 47150**

New 2X large display Makes the 34788 easier than ever to use.

Change between traditional & hybrid vehicle systems without fear of cross contamination with improved oil injection

$0,000.00
No. 34788

34788 Ahead of the Game . . .

Fully compliant with SAE J2788 standards!

Fully automatic function lets you recover, vacuum, leak test, charge, and then walk away.

Combines simple operation with superior accuracy. The Cool-Tech 34788 recovers, recycles, evacuates, leak tests, and recharges R-134a quickly and accurately. Automatic operation means less attention is needed!

- Automatic Function
- Vacuum Leak Test
- Automatic Refrigerant Refill
- Automatic Air Purge
- Automatic Oil Drain
- Refrigerant Charging
- Refrigerant Management Systems
- Vacuum Function

- Built-in storage for extra filter.
- On-board storage for compressor oils.
- Extra filter and bottles not included.

- Control panel offers flat storage feature when not in use.

Investing in the Future... Vehicle Database Screens

$000.00
No. 34411

- Charge capacity is imported to the charge mode!
- No more guessing how much oil to add back when replacing components.

The optional vehicle database makes it easier and faster to determine the charge capacity for refrigerant and oil. Included is the total system oil capacity as well as replacement oil amounts by component. The database (No. 34411) covers vehicles from 1994-2007.

NEW

Cool-Tech 34288 "Making green is still cool"

The Cool-Tech 34288 combines simple operation with superior accuracy. It recovers, recycles, evacuates, leak tests, and recharges R-134A quickly and accurately.

- 95% refrigerant recovery and charging to +/- 1/2 oz.

Other features and functions:

- Vacuum Leak Test
- Automatic Air Purge
- Refrigerant Charging
- Refrigerant Management
- Vacuum Function
- New 4x20 multilingual display

$0,000.00
No. 34288

NEW
Fully compliant with SAE J2788 standards!

VacuMaster® Vacuum Pumps

1.5 CFM Vacuum Pump
- 115 volt, 2-stage design.
- 1/2" Acme and 1/4" MFL intake fitting.
- "No-hassle" over-the- counter replacement warranty.

$000.00
No. 15150

3 CFM Vacuum Pump
- 115 volt, 2-stage design.
- 1/2" Acme and 1/4" MFL intake fitting.
- "No-hassle" over-the- counter replacement warranty.

$000.00
No. 15300

5 CFM Vacuum Pump
- 115 volt, 2-stage design.
- 1/2" Acme and 1/4" MFL intake fitting.
- "No-hassle" over-the- counter replacement warranty.

$000.00
No. 15500

2-Way Brass Manifold

The new Robinair brass manifold bodies are constructed from solid brass for added durability needed for repeated, tough daily use. Contoured easy to grip hand wheels are color coded for quick and easy identification.

- Improved face seal valves. Better design provides a tighter seal, less wear and improved flow.
- Proven, double O-ring piston design for extra reliability and longer service life.

44150 Dual R12/134a Kit

- Brass manifold with easy-to-grip handles
- R12/R134a gauges, PSI, and °F Temp
- ½" ACME bottom ports
- Rear R134a and ½" ACME fittings for holding hoses
- 90° manual couplers
- 72" R134a Hose Set (1/2" ACME x 14mm)
- 72" R12 Hose Set (1/2" ACME x 1/4" MFL)
- Blow molded carrying case

$000.00
No. 44150

45110 R134a Manifold Hose Kit

- Brass manifold with easy-to-grip handles
- R12/R134a gauges, PSI, and °F Temp
- ½" ACME bottom ports
- Rear R134a and ½" ACME fittings for holding hoses
- 90° manual couplers
- 72" R134a Hose Set (1/2" ACME x 14mm)
- Blow molded carrying case

$000.00 **No. 45110**

CoolTech® Vacuum Pumps

4 CFM Vacuum Pump
- 4 CFM rating, 2-stage.
- 1/2" Acme and 1/4" MFL intake fitting.
- "No-hassle" over-the-counter replacement warranty.

$000.00
No. 15434

Service Couplers for Automotive R-134a

Field service couplers connect to our special Enviro-Guard™ hoses to allow access to service ports on automotive R-134a A/C systems. The quick-connect design has an integral safety sleeve, which protects against injury and refrigerant loss if the coupler is disconnected under pressure. The compact design easily fits into tight quarters, which is especially handy for retrofits. Six-ball couplers provide a more stable grip on the fitting than do couplers with four balls.

No. 18174

No. 18175

No. 18174 *Low-side 90° manual coupler, blue* **$00.00**

No. 18175 *High-side 90° manual coupler, red* **$00.00**

A/C DIAGNOSTICS

Compact Refrigerant Scale

The new TIF9035, Compact Refrigerant Scale, brings greater performance, excellent value, reliability and portability to the trade.

- New molded design, easy to carry and store
- Integrated manifold and hose storage compartment
- Can be used with ALL refrigerants
- High weight capacity, up to 200 Lbs (100Kg)
- Battery powered, one 9V alkaline battery
- Display provides Lbs/oz; decimals Lbs and Kg measurements
- Good accuracy and resolution
- Platform adapts to most existing tanks (9" x 9")
- Multifunction LCD readout
- Color-coded tactile integrated keypad
- 3 Control keys: ON/OFF, zeroing and measurement units
- CE approved
- 1-Year Warranty

$000.00 No. TIF9035

Economy Digital Refrigerant Scale

- New mold design, easy to carry and store.
- 9V battery powered.
- Capacity up to 220 lbs. (100 kg). Display showing lbs./oz. and kg.

$000.00 No. TIF9031

$000.00 No. TIF9030

Flush Gun Kit

- An economical means of flushing scale and contaminants from A/C system components.
- The flush gun uses dry shop air to pressurize the solvent. The process thoroughly cleans the part, removing oil and any refrigerant contaminants and residue.
- The nozzle directs the flow of solvent without spray-back.

$000.00 No. 17595

TruTrack Ultrasonic Leak Detector

TruTrack is an ultra-sensitive leak detector, which uses ultrasound technology to "hear" the sound of a leak. It makes finding leaks fast and accurate, because it eliminates annoying false triggering and interference. Also, there's no need to recalibrate for background noise.

TruTrack is the perfect complement to other forms of leak detection. It's effective on systems that are pressurized or under vacuum, because it senses the frequency of refrigerant escaping. Larger leaks may require the use of UV or electronic leak detection systems.

$000.00 No. 16455

Use TruTrack to identify...

- Refrigerant leaks.
- Vacuum leaks.
- Steam leaks.
- Pressurized gas leaks.
- Dry nitrogen gas leaks.
- Failing solenoids, valves, bearings.

InfraRed Refrigerant Leak Detector

- Advanced infrared sensor designed to last a minimum of 10 years.
- Three sensitivity levels down to 0.15 oz./year.
- Automatically recalibrates in highly contaminated areas to help pinpoint the exact location of the leak
- Won't trigger on oil or moisture.
- Senses CFC, HFC and HCFC blend refrigerants.
- 8-hour lithium Ion battery lasts all day long and beyond.
- Visual alert and peak button make it easy to find leaks in noisy environments.
- Audible alert with mute button.
- Magnetic hanger to easily hang the unit during leak repair.
- Durable carrying case let's you easily leak detector and accessories.
- Meets NEW SAE J2791 leak detection standard.

$0,000.00 No. 22791

InfraRed (IR) Thermometer PRO

No. TIF7620	*20:1 IR thermometer with laser pointer*	**$00.00**
No. TIF7612	*12:1 IR thermometer with laser pointer*	**$00.00**
No. TIF7610	*10:1 IR thermometer with laser pointer*	**$00.00**
No. TIF7201	*1:1 IR thermometer (uses CR2032 lithium battery)*	**$00.00**

No. TIF7610

No. TIF7620

UV Leak Detection Kit

- UV leak detection finds auto leaks quickly without mess, measuring or calculations.
- Ultraviolet dye is injected and circulated throughout the A/C system refrigerant, then seeps out at the point of a leak.
- With the high-power UV lamp, the leak will glow brightly and be spotted easily.

$000.00 No. 16380

No. 16380 – UV leak detection kit includes:

- Cordless/rechargeable true UV LED light.
- Six 1/4 oz. dye cartridges (No. 16357).
- UV enhancing glasses with dye cleaner.
- Injection gun with R-134a hose & R-12 adapter.

UV Injection Kit

UV Injection Kit includes: Injection gun with R-134a hose and R-12 adapter, four universal A/C dye twist-on cartridges (No. 16356, 1 oz./ 30 ml each), and service stickers.



$000.00 No. 16355

Refrigerant Leak Detectors

TIFXL-1A, TIFRX-1A, TIFXP-1A, and TIFZX-1A

Innovative MPC circuitry and Advanced Digital Signal Processing monitor the sensing tip up to 2000 times per second. Automatic reset, true mechanical pump and visual indicators (TIFXP-1 and TIFRX-1) speed and simplify leak searches.

A completely re-designed sensing tip increases sensitivity, improves reliability, and lasts twice as long as its predecessor. This results in fewer comebacks, less hassle, and lower maintenance costs.

$000.00 No. TIFXL-1A

All Models Feature

- Microprocessor controlled circuit with ZZ Advanced Digital Signal Processing.
- Detects ALL halogenated refrigerants.
- Cordless and portable, operates on two C-cell alkaline batteries (3V DC).
- Variable frequency audible alarm.
- Constant power indication.
- 14" (35.5 cm) flexible stainless steel probe with Teflon® liner.
- Carrying case included, optional holster.
- Optional reference leak source.

No. TIFXL-1A Features

- Less than 0.4 oz./yr. (11 gr./yr.) ultimate sensitivity
- Single switch control.

$000.00 No. TIFRX-1A

No. TIFRX-1A Features

- Less than 0.25 oz./yr. (7 gr./yr.) ultimate sensitivity
- Six-segment visual leak size indicator.
- True mechanical pump provides positive airflow through sensing tip.
- High and low sensitivity levels.
- One-touch reset.
- Tactile keypad controls.

$000.00 No. TIFXP-1A

No. TIFXP-1A Features

- Tri-color, six-segment visual leak size indicator displays 18 alarm levels.
- Seven levels of sensitivity adjustment provide an increase of up to 64x.
- Battery test function with true voltage indication.
- Mute feature silences audible alarm.
- True mechanical pump provides positive airflow through sensing tip.
- One touch reset.
- Tactile keypad controls.
- Three-year warranty.

No. TIFZX-1 Features

- Patent pending Heated Pentode™ sensor technology.
- Refrigerant specific detection.
- Detects ALL halogenated refrigerants at levels below 0.1 oz./yr.
- Tri-color visual leak size indication.
- Tactile keypad controls with one-touch reset and adjustable sensitivity.
- True mechanical pump provides instant response and clearing.
- Sensor failure indication.
- Carrying case and re-charger included.
- Ni-Cad rechargeable batteries.
- Flexible stainless probe.

$000.00 No. TIFZX-1

Refrigerant Identifiers

- Displays the actual percent of R-12, R-134a R-22 and air in the system or tank.
- Visual and audible hydrocarbon alarm.
- On-board printer port.
- Air purge.

$0,000.00 No. 16910

Prices limited to supplies on hand. / Not responsible for errors in price or description. / 08-224 1st & 2nd Quarter, Printed in U.S.A.